PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: PROCESS DATE**

EMF Copylib Name: AVAIL-TC

EMF Position: 1021-1024
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The Julian date on which the member's basic availability was processed.

Valid Values: Valid DDDY date.

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments:

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY:**
PARENT UNIT IDENTIFICATION CODE (UIC)

EMF Copylib Name: AVAIL-PARENT-UIC

EMF Position: 1026-1030
EMF Length: 5
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The parent command of the activity to which the member will be attached when the transfer directive is issued.

Valid Values: NAVCOMPT Manual, Vol. II, Chapter 5

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) NAVCOMPT Manual, Vol. II, Chapter 5.

If the activity is not a component or detachment, the Actual UIC is repeated as the Parent UIC.

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY:**
ACTUAL UNIT IDENTIFICATION CODE (UIC)

EMF Copylib Name: AVAIL-ACTUAL-UIC

EMF Position: 1031-1035
EMF Length: 5
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The activity to which member will be attached at the time the transfer directive is issued.

Valid Values: NAVCOMPT Manual, Vol. II, Chapter 5

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) NAVCOMPT Manual, Vol. II, Chapter 5, (b) TRANSMAN 20.05

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: ACTIVITY NAME**

EMF Copylib Name: AVAIL-ACTY-NAME

EMF Position: 1036-1051
EMF Length: 16
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The abbreviated name of the activity to which the member will be attached at the time transfer directive is issued.

Valid Values: TRANSMAN 20.05

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN 20.05

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY:**
                                              ENLISTED DISTRIBUTION CODE ORIGIN

EMF Copylib Name: AVAIL-EDC-FROM

EMF Position: 1052-1054
EMF Length: 3
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The official responsible to the manning control authority for the manning posture of the activity which submitted the basic availability.

Valid Values: Appendix A, ENLISTED DISTRIBUTION CODE TABLE

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN 20.05

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: CLASS OF AVAILABILITY**

EMF Copylib Name: AVAIL-CLASS-AVAIL

EMF Position: 1055-1056
EMF Length: 2
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The general area of assignment responsibility into which the member has been classified.

Valid Values: TRANSMAN 20.05

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN 20.05

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: CUSTOMER IDENTIFICATION CODE
(CIC) - MANAGER**

EMF Copylib Name: AVAIL-CIC-A

EMF Position: 1058
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: First position of the 5-character CIC.

Valid Values: This data element's value is always "A"

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) BUPERSINST 7040.5., (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 12. AVAILABILITY

Data Element Full Name:	**BASIC AVAILABILITY: CUSTOMER IDENTIFICATION CODE (CIC) - OPERATING TARGET MANAGER**

EMF Copylib Name: AVAIL-CIC-OPTAR

EMF Position: 1059
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: Second position of the 5-character Basic Availability CIC; identifies the organization responsible for the administration of the funds authorized for the member's permanent change of station (PCS) move to his next activity.

Valid Values: Appendix A, CUSTOMER IDENTIFICATION CODE (CIC) OPERATING TARGET MANAGER CODES

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) BUPERSINST 7040.5., (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 12. AVAILABILITY

Data Element Full Name:	**BASIC AVAILABILITY: CUSTOMER IDENTIFICATION CODE (CIC) - PURPOSE**

EMF Copylib Name: AVAIL-CIC-PURPOSE

EMF Position: 1060
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: Third position of the 5-character Basic Availability CIC; identifies the purpose of the member's permanent change of station (PCS) move and whether or not the move to his next activity will involve overseas travel.

Valid Values: Appendix A, CUSTOMER IDENTIFICATION CODE (CIC) PURPOSE CODES

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) BUPERSINST 7040.5., (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 12. AVAILABILITY

Data Element Full Name:	**BASIC AVAILABILITY: CUSTOMER IDENTIFICATION CODE (CIC) - DETACHMENT MONTH**

EMF Copylib Name: AVAIL-CIC-DETACH-MO

EMF Position: 1061
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: Fourth position of the 5-character Basic Availability CIC; specifies the estimated month of detachment of the member from his current permanent or temporary duty activity.

Valid Values: Appendix A, CUSTOMER IDENTIFICATION CODE (CIC) MONTH CODES

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) BUPERSINST 7040.5., (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: CUSTOMER IDENTIFICATION CODE (CIC) - DETACHMENT YEAR**

EMF Copylib Name: AVAIL-CIC-DETACH-YR

EMF Position: 1062
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: Fifth position of the 5-character Basic Availability CIC; specifies the estimated fiscal year of detachment of the member from his current permanent or temporary duty activity.

Valid Values: 0 - 9, Blank = Not reported

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) BUPERSINST 7040.5., (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: AVAILABILITY DATE**

EMF Copylib Name: AVAIL-DATE

EMF Position: 1063-1068
EMF Length: 6
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The date that the member will be available for transfer.

Valid Values: Valid YYMMDD dates.

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN 20.05

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY RATE: RATE CODE**

EMF Copylib Name: AVAIL-RATE-CODE-1-4

EMF Position: 1069-1072
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The rating that the member is expected to attain prior to transfer.

Valid Values: Appendix A, RATE CODE TABLE

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: This data element is a 4-character numeric code for the 2- or 3-character alphabetic rating abbreviation contained the data element AVAIL-RATE-ABBR.

                      This data element is also contained in Part 6.

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY RATE: PAYGRADE**

EMF Copylib Name: AVAIL-RATE-PG

EMF Position: 1073
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The paygrade that the member is expected to attain prior to transfer.

Valid Values: Appendix A, PAYGRADE CODES

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: This data element does not comply with the DOD standard data element PA-SN-AD in the
                     Manual for Standard Data Elements, DOD 5000.12-M.

                     This data element is also contained in Part 6.

PART 12. AVAILABILITY

Data Element Full Name:　　　　**BASIC AVAILABILITY RATE: RATE ABBREVIATION**

EMF Copylib Name:　　　　　　AVAIL-RATE-ABBR

EMF Position:　　　　　　　　1074-1078
EMF Length:　　　　　　　　　5
EMF Occurrences:　　　　　　1, Alphanumeric
NES TAC:　　　　　　　　　　QC0, QK0

Description:　　　The 3- to 5-character abbreviation of the rating and paygrade that the member is expected to attain prior to transfer.

Valid Values:　　　Appendix A, RATE ABBREVIATION TABLE

Auth Sub Sources:　　　PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments:　　　References - (a) TRANSMAN 20.05.

　　　　　　　This data element also is contained in Part 6.

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY:**
                                EXPECTED NAVY ENLISTED CLASSIFICATION (ENEC)

EMF Copylib Name: AVAIL-EXP-NEC

EMF Position: 1079-1082
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: An additional NEC qualification reported in the availability report, a recommendation of the enlisted classification unit, or the NEC to be earned upon course completion.

Valid Values: NAVY ENLISTED CLASSIFICATION, Volume 2, NAVPERS 18068, Current Series, Section II

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN 20.05.

                   This data element is also contained in Part 7.

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: RECRUIT COMPANY NUMBER**

EMF Copylib Name: AVAIL-RTC-CO-NBR

EMF Position: 1083-1085
EMF Length: 3
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The recruit company to which member has been assigned.

Valid Values:

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments:

PART 12. AVAILABILITY

Data Element Full Name: **SPOUSE MILITARY PERSONNEL CLASS**

EMF Copylib Name: MIL-PERS-CLASS

EMF Position: 2807
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: Q20

Description: Describes status of Navy spouse.

Valid Values:	Value	Description	Value	Description
	C	Cadet or Midshipman	W	Warrant Officer
	E	Enlisted	Z	Unknown
	O	Officer		

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD standard data element MI-NA-AB in the Manual for Standard Data
Elements, DOD 5000.12-M. It duplicates data element SPOUSE-IDENT-SSN, Military Spouse on Active Duty -
Social Security Number or Branch of Service.

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: SPOUSE SOCIAL SECURITY NUMBER**

EMF Copylib Name: SSN-SPOUSE

EMF Position: 2808-2816
EMF Length: 9
EMF Occurrences: 1, Alphanumeric
NES TAC: Q20

Description: The SSN of the member's spouse.

Valid Values: Valid SSN

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD standard data element SO-CA-AD in the Manual for Standard Data
                     Elements, DOD 5000.12-M. It partially duplicates the data element SPOUSE-IDENT-SSN, Military Spouse on
                     Active Duty - Social Security Number or Branch of Service.

PART 12. AVAILABILITY

Data Element Full Name:	**BASIC AVAILABILITY: SPOUSE BRANCH OF SERVICE**

EMF Copylib Name: BR-SVC

EMF Position: 2817
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: Q20

Description: The branch of Uniformed Service to which the member's spouse belongs.

Valid Values:

Value	Description	Value	Description
Blank	Not Applicable	I	National Oceanic and
A	Army		Atmospheric Admin.
E	Public Health Office	M	Marine Corps
F	Air Force	N	Navy
		P	Coast Guard

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD standard data element UN-SE-AC in the Manual for Standard Data Elements, DOD 5000.12-M. It partially duplicates the data element SPOUSE-IDENT-SSN, Military Spouse on Active Duty - Social Security Number or Branch of Service

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: SPOUSE DUTY AFFILIATION**

EMF Copylib Name: DUTY-AFFILIATION

EMF Position: 2818
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: Q20

Description: The duty affiliation of the member's spouse

Valid Values:

Value	Description
A	Active Duty
I	Inactive Duty
F	Former Member of Navy
Z	Unknown

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments:

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY: SPOUSE SERVICE COMPONENT**

EMF Copylib Name: SVC-COMPONENT

EMF Position: 2819
EMF Length: 1
EMF Occurrences: 1, Alphanumeric
NES TAC: Q20

Description: The service component to which the member's spouse belongs.

Valid Values: Value   Description
                   Blank   Not Applicable
                     G   National Guard
                     R   Regular
                     V   Reserve
                     Z   Unknown

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element complies with the DOD standard data element SE-NA-AA in the Manual for
                  Standard Data Elements, DOD 5000.12-M.

PART 12. AVAILABILITY

Data Element Full Name: **BASIC AVAILABILITY ADDITIONAL INFORMATION**

EMF Copylib Name: ADDITIONAL-INFO1,
                               ADDITIONAL-INFO2,
                               ADDITIONAL-INFO3

EMF Position: 1855-1989
EMF Length: 135
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: Additional information, relative to pending assignment, that the member desires to bring to
                      attention of detailer at time of his availability.

Valid Values:

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN 20.05

PART 12. AVAILABILITY

Data Element Full Name:　　　　**SKELETON AVAILABILITY:**
　　　　　　　　　　　　　　　　EXPIRATION OF ACTIVE OBLIGATED SERVICE (EAOS)

EMF Copylib Name:　　　　　　AVAIL-EAOS

EMF Position:　　　　　　　　1095-1098
EMF Length:　　　　　　　　　4
EMF Occurrences:　　　　　　1, Alphanumeric
NES TAC:　　　　　　　　　　QC0, QK0

Description:　　　The month and year during which the member's active duty obligation, as submitted on the availability report, terminates; includes periods of lost time and agreements to extend enlistment whether or not they have become operative.

Valid Values:　　　Valid YYMM dates.

Auth Sub Sources:　　　PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments:　　　References - (a) TRANSMAN 20.05. This data element is also listed in Part 2.

PART 12. AVAILABILITY

Data Element Full Name: **SKELETON AVAILABILITY:**
                         ACTIVE DUTY SERVICE DATE (ADSD)

EMF Copylib Name: AVAIL-ADBD

EMF Position: 1099-1102
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0

Description: The 4-character date, as submitted in the availability report, from which total active military
                  service may be computed.

Valid Values: Valid YYMM dates.

Auth Sub Sources: PERS-103 (SDS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN 20.05. This data element is also contained in Part 2.

PART 12. AVAILABILITY

Data Element Full Name: **SKELETON AVAILABILITY:**
                                   PRIMARY NAVY ENLISTED CLASSIFICATION (PNEC)

EMF Copylib Name: AVAIL-PNEC

EMF Position: 1103-1106
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The first NEC in the availability report of new accessions.

Valid Values: NAVY ENLISTED CLASSIFICATION, Volume 2, NAVPERS 18068, Current Series

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) NAVY ENLISTED CLASSIFICATION, Volume 2, NAVPERS 18068,
                    Current Series, Section II (b) TRANSMAN 20.05.

                    This element also is listed in Part 7.

PART 12. AVAILABILITY

Data Element Full Name: **SKELETON AVAILABILITY:**
                               SECONDARY NAVY ENLISTED CLASSIFICATION (SNEC)

EMF Copylib Name: AVAIL-SNEC

EMF Position: 1107-1110
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QK0

Description: The second NEC in availability report of new accessions.

Valid Values: NAVY ENLISTED CLASSIFICATION, Volume 2, NAVPERS 18068, Current Series

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) NAVY ENLISTED CLASSIFICATION, Volume 2, NAVPERS 18068, Current Series, Section II (b) TRANSMAN 20.05.

          This element is also contained in Part 7.

PART 12. AVAILABILITY

Data Element Full Name: **STUDENT AVAILABILITY: COURSE CODE**

EMF Copylib Name: STUAVAIL-COURSE

EMF Position: 2280-2283
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC1, QK0

Description: The formal Navy school or course the member currently is attending under the auspices of the
                      Navy Integrated Training Resource Administration System (NITRAS, Pensacola, FL).

Valid Values: Catalog of Navy Training Courses (CANTRAC)

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) CNETINST 1510.1, (b) TRANSMAN, Figure 25E.

PART 12. AVAILABILITY

Data Element Full Name:　　　　　**STUDENT AVAILABILITY: GRADUATION DATE**

EMF Copylib Name:　　　　　　　STUAVAIL-GRAD-DATE

EMF Position:　　　　　　　　　　2284-2289
EMF Length:　　　　　　　　　　　6
EMF Occurrences:　　　　　　　　1, Alphanumeric
NES TAC:　　　　　　　　　　　　QC1, QK0

Description:　　　The date the member is scheduled to graduate from the course that he is currently attending.
Valid Values:　　　Valid YYMMDD dates.

Auth Sub Sources:　　　　PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments:　　　References - (a) CNETINST 1510.1

PART 12. AVAILABILITY

Data Element Full Name: **STUDENT AVAILABILITY: EXPECTED NAVY ENLISTED CLASSIFICATION (ENEC)**

EMF Copylib Name: STUAVAIL-ENEC

EMF Position: 2290-2293
EMF Length: 4
EMF Occurrences: 1, Alphanumeric
NES TAC: QC0, QC1, QK0

Description: The special skill or knowledge the member is expected to have acquired upon graduation from the school or course that the member currently is attending.

Valid Values: NAVY ENLISTED CLASSIFICATION, Volume 2, NAVPERS 18068, Current Series, Section II

Auth Sub Sources: PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, EPMAC

Comments: References - (a) CNETINST 1510.1. This data element also listed in Part 7.

PART 12. AVAILABILITY